ELSEVIER

Brain Research 909 (2001) 204–205

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Alonso, D., see Rodrigo, J. (909) 20
Appel, S., see He, Y. (909) 187

Barrett, T., see Konu, Ö. (909) 194
Basso, A.M., see Cancela, L.M. (909) 179
Becker, K.G., see Konu, Ö. (909) 194
Ben-Hur, T., see Leker, R.R. (909) 1
Bentura, M.L., see Rodrigo, J. (909) 20
Billington, C.J., see Jewett, D.C. (909) 75
Bloc, A., see D'Orlando, C. (909) 145
Buchan, A.M., see Zhao, Z. (909) 46

Cancela, L.M., Basso, A.M., Martijena, I.D., Capriles, N.R. and Molina, V.A.
A dopaminergic mechanism is involved in the 'anxiogenic-like' response induced by chronic amphetamine treatment: a behavioral and neurochemical study (909) 179
Capriles, N.R., see Cancela, L.M. (909) 179
Celio, M.R., see D'Orlando, C. (909) 145
Challet, E., Turek, F.W., Laute, M.-A. and Van Reeth, O.
Sleep deprivation decreases phase-shift responses of circadian rhythms to light in the mouse: role of serotonergic and metabolic signals (909) 81
Champney, T.H., see Manzana, E.J.P. (909) 127
Chang, R., see Konu, Ö. (909) 194
Chen, W.-J.A., see Manzana, E.J.P. (909) 127
Cheng, M., see Zhao, Z. (909) 46
Choi, D.-K., see Nakagawa-Yagi, Y. (909) 8

De Luca, V., see Monda, M. (909) 68
Donovan, D.M., see Konu, Ö. (909) 194
D'Orlando, C., Fellay, B., Schwaller, B., Salicio, V., Bloc, A., Gotzos, V. and Celio, M.R.
Calretinin and calbindin D-28k delay the onset of cell death after excitotoxic stimulation in transfected P19 cells (909) 145

Edvinsson, L., see Hou, M. (909) 112

Fellay, B., see D'Orlando, C. (909) 145
Fernández, A.P., see Rodrigo, J. (909) 20

Gao, C., see Liu, Y. (909) 51
Ghiglione, M., see Rodrigo, J. (909) 20
Gotzos, V., see D'Orlando, C. (909) 145
Grace, M.K., see Jewett, D.C. (909) 75

Hagiwara, Y., see Yamaguchi, T. (909) 121
He, Y., Appel, S. and Le, W.
Minocycline inhibits microglial activation and protects nigral cells after 6-hydroxydopamine injection into mouse striatum (909) 187
Hou, M., Kanje, M., Longmore, J., Tajti, J., Uddman, R. and Edvinsson, L.
5-HT_{1B} and 5-HT_{1D} receptors in the human trigeminal ganglion: co-localization with calcitonin gene-related peptide, substance P and nitric oxide synthase (909) 112
Hou, X., see Liu, Y. (909) 51
Ikarashi, Y., see Takahashi, A. (909) 102
Ishimaru, H., see Takahashi, A. (909) 102
Ito, T., see Nakagawa-Yagi, Y. (909) 8

Jain, N.K., Patil, C.S., Singh, A. and Kulkarni, S.K.
Sildenafil-induced peripheral analgesia and activation of the nitric oxide–cyclic GMP pathway (909) 170
Jewett, D.C., Grace, M.K., Jones, R.M., Billington, C.J., Portoghese, P.S. and Levine, A.S.
The kappa-opioid antagonist GNTI reduces U50,488-, DAMGO-, and deprivation-induced feeding, but not butorphanol- and neuropeptide Y-induced feeding in rats (909) 75
Jones, R.M., see Jewett, D.C. (909) 75

Kajihara, H., Tsutsumi, E., Kinoshita, A., Nakano, J., Takagi, K. and Takeo, S.
Activated astrocytes with glycogen accumulation in ischemic penumbra during the early stage of brain infarction: immunohistochemical and electron microscopic studies (909) 92
Kane, J.K., see Konu, Ö. (909) 194
Kanje, M., see Hou, M. (909) 112
Kasa, P., Papp, H. and Pakaski, M.
Presenilin-1 and its N-terminal and C-terminal fragments are transported in the sciatic nerve of rat (909) 159
Keshet, E., see Leker, R.R. (909) 1
Kinoshita, A., see Kajihara, H. (909) 92
Kishi, E., see Takahashi, A. (909) 102
Konu, Ö., Kane, J.K., Barrett, T., Vawter, M.P., Chang, R., Ma, J.Z., Donovan, D.M., Sharp, B., Becker, K.G. and Li, M.D.
Region-specific transcriptional response to chronic nicotine in rat brain (909) 194
Kulkarni, S.K., see Jain, N.K. (909) 170

Laute, M.-A., see Challet, E. (909) 81
Le, W., see He, Y. (909) 187
Leker, R.R., Teichner, A., Ovadia, H., Keshet, E., Reinherz, E. and Ben-Hur, T.
Expression of endothelial nitric oxide synthase in the ischemic penumbra: relationship to expression of neuronal nitric oxide synthase and vascular endothelial growth factor (909) 1
Levine, A.S., see Jewett, D.C. (909) 75
Li, M.D., see Konu, Ö. (909) 194
Liu, Y., Zhang, G., Gao, C. and Hou, X.
NMDA receptor activation results in tyrosine phosphorylation of NMDA receptor subunit 2A(NR2A) and interaction of Pyk2 and Src with NR2A after transient cerebral ischemia and reperfusion (909) 51
Longmore, J., see Hou, M. (909) 112
López, J.C., see Rodrigo, J. (909) 20

Ma, J.Y., see Zhao, Z. (909) 46
Ma, J.Z., see Konu, Ö. (909) 194
Manzana, E.J.P., Chen, W.-J.A. and Champney, T.H.
Acute melatonin and *para*-chloroamphetamine interactions on pineal, brain and serum serotonin levels as well as stress hormone levels (909) 127
Maples, K.R., see Zhao, Z. (909) 46
Martijena, I.D., see Cancela, L.M. (909) 179
Martínez-Murillo, R., see Rodrigo, J. (909) 20
Maruyama, Y., see Takahashi, A. (909) 102
Molina, V.A., see Cancela, L.M. (909) 179
Momoi, T., see Nakagawa-Yagi, Y. (909) 8

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02754-8

ELSEVIER

Brain Research 909 (2001) 204–205

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Alonso, D., see Rodrigo, J. (909) 20
Appel, S., see He, Y. (909) 187

Barrett, T., see Konu, Ö. (909) 194
Basso, A.M., see Cancela, L.M. (909) 179
Becker, K.G., see Konu, Ö. (909) 194
Ben-Hur, T., see Leker, R.R. (909) 1
Bentura, M.L., see Rodrigo, J. (909) 20
Billington, C.J., see Jewett, D.C. (909) 75
Bloc, A., see D'Orlando, C. (909) 145
Buchan, A.M., see Zhao, Z. (909) 46

Cancela, L.M., Basso, A.M., Martijena, I.D., Capriles, N.R. and Molina, V.A.
A dopaminergic mechanism is involved in the 'anxiogenic-like' response induced by chronic amphetamine treatment: a behavioral and neurochemical study (909) 179
Capriles, N.R., see Cancela, L.M. (909) 179
Celio, M.R., see D'Orlando, C. (909) 145
Challet, E., Turek, F.W., Laute, M.-A. and Van Reeth, O.
Sleep deprivation decreases phase-shift responses of circadian rhythms to light in the mouse: role of serotonergic and metabolic signals (909) 81
Champney, T.H., see Manzana, E.J.P. (909) 127
Chang, R., see Konu, Ö. (909) 194
Chen, W.-J.A., see Manzana, E.J.P. (909) 127
Cheng, M., see Zhao, Z. (909) 46
Choi, D.-K., see Nakagawa-Yagi, Y. (909) 8

De Luca, V., see Monda, M. (909) 68
Donovan, D.M., see Konu, Ö. (909) 194
D'Orlando, C., Fellay, B., Schwaller, B., Salicio, V., Bloc, A., Gotzos, V. and Celio, M.R.
Calretinin and calbindin D-28k delay the onset of cell death after excitotoxic stimulation in transfected P19 cells (909) 145

Edvinsson, L., see Hou, M. (909) 112

Fellay, B., see D'Orlando, C. (909) 145
Fernández, A.P., see Rodrigo, J. (909) 20

Gao, C., see Liu, Y. (909) 51
Ghiglione, M., see Rodrigo, J. (909) 20
Gotzos, V., see D'Orlando, C. (909) 145
Grace, M.K., see Jewett, D.C. (909) 75

Hagiwara, Y., see Yamaguchi, T. (909) 121
He, Y., Appel, S. and Le, W.
Minocycline inhibits microglial activation and protects nigral cells after 6-hydroxydopamine injection into mouse striatum (909) 187
Hou, M., Kanje, M., Longmore, J., Tajti, J., Uddman, R. and Edvinsson, L.
5-HT_{1B} and 5-HT_{1D} receptors in the human trigeminal ganglion: co-localization with calcitonin gene-related peptide, substance P and nitric oxide synthase (909) 112
Hou, X., see Liu, Y. (909) 51
Ikarashi, Y., see Takahashi, A. (909) 102
Ishimaru, H., see Takahashi, A. (909) 102
Ito, T., see Nakagawa-Yagi, Y. (909) 8

Jain, N.K., Patil, C.S., Singh, A. and Kulkarni, S.K.
Sildenafil-induced peripheral analgesia and activation of the nitric oxide–cyclic GMP pathway (909) 170
Jewett, D.C., Grace, M.K., Jones, R.M., Billington, C.J., Portoghese, P.S. and Levine, A.S.
The kappa-opioid antagonist GNTI reduces U50,488-, DAMGO-, and deprivation-induced feeding, but not butorphanol- and neuropeptide Y-induced feeding in rats (909) 75
Jones, R.M., see Jewett, D.C. (909) 75

Kajihara, H., Tsutsumi, E., Kinoshita, A., Nakano, J., Takagi, K. and Takeo, S.
Activated astrocytes with glycogen accumulation in ischemic penumbra during the early stage of brain infarction: immunohistochemical and electron microscopic studies (909) 92
Kane, J.K., see Konu, Ö. (909) 194
Kanje, M., see Hou, M. (909) 112
Kasa, P., Papp, H. and Pakaski, M.
Presenilin-1 and its N-terminal and C-terminal fragments are transported in the sciatic nerve of rat (909) 159
Keshet, E., see Leker, R.R. (909) 1
Kinoshita, A., see Kajihara, H. (909) 92
Kishi, E., see Takahashi, A. (909) 102
Konu, Ö., Kane, J.K., Barrett, T., Vawter, M.P., Chang, R., Ma, J.Z., Donovan, D.M., Sharp, B., Becker, K.G. and Li, M.D.
Region-specific transcriptional response to chronic nicotine in rat brain (909) 194
Kulkarni, S.K., see Jain, N.K. (909) 170

Laute, M.-A., see Challet, E. (909) 81
Le, W., see He, Y. (909) 187
Leker, R.R., Teichner, A., Ovadia, H., Keshet, E., Reinherz, E. and Ben-Hur, T.
Expression of endothelial nitric oxide synthase in the ischemic penumbra: relationship to expression of neuronal nitric oxide synthase and vascular endothelial growth factor (909) 1
Levine, A.S., see Jewett, D.C. (909) 75
Li, M.D., see Konu, Ö. (909) 194
Liu, Y., Zhang, G., Gao, C. and Hou, X.
NMDA receptor activation results in tyrosine phosphorylation of NMDA receptor subunit 2A(NR2A) and interaction of Pyk2 and Src with NR2A after transient cerebral ischemia and reperfusion (909) 51
Longmore, J., see Hou, M. (909) 112
López, J.C., see Rodrigo, J. (909) 20

Ma, J.Y., see Zhao, Z. (909) 46
Ma, J.Z., see Konu, Ö. (909) 194
Manzana, E.J.P., Chen, W.-J.A. and Champney, T.H.
Acute melatonin and *para*-chloroamphetamine interactions on pineal, brain and serum serotonin levels as well as stress hormone levels (909) 127
Maples, K.R., see Zhao, Z. (909) 46
Martijena, I.D., see Cancela, L.M. (909) 179
Martínez-Murillo, R., see Rodrigo, J. (909) 20
Maruyama, Y., see Takahashi, A. (909) 102
Molina, V.A., see Cancela, L.M. (909) 179
Momoi, T., see Nakagawa-Yagi, Y. (909) 8

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02754-8

Monda, M., Viggiano, A., Mondola, P. and De Luca, V.
Inhibition of prostaglandin synthesis reduces hyperthermic reactions induced by hypocretin-1/orexin A (909) 68
Mondola, P., see Monda, M. (909) 68

Nakagawa-Yagi, Y., Choi, D.-K., Ogane, N., Shimada, S.-i., Seya, M., Momoi, T., Ito, T. and Sakaki, Y.
Discovery of a novel compound: insight into mechanisms for acrylamide-induced axonopathy and colchicine-induced apoptotic neuronal cell death (909) 8
Nakano, J., see Kajihara, H. (909) 92
Nekrassov, V., see Trejo, F. (909) 59
Nozaki-Taguchi, N., see Yamamoto, T. (909) 138

Ogane, N., see Nakagawa-Yagi, Y. (909) 8
Ovadia, H., see Leker, R.R. (909) 1

Pakaski, M., see Kasa, P. (909) 159
Papp, H., see Kasa, P. (909) 159
Patil, C.S., see Jain, N.K. (909) 170
Portoghese, P.S., see Jewett, D.C. (909) 75

Reinherz, E., see Leker, R.R. (909) 1
Richart, A., see Rodrigo, J. (909) 20
Rodrigo, J., Alonso, D., Fernández, A.P., Serrano, J., Richart, A., López, J.C., Santacana, M., Martínez-Murillo, R., Bentura, M.L., Ghiglione, M. and Uttenthal, L.O.
Neuronal and inducible nitric oxide synthase expression and protein nitration in rat cerebellum after oxygen and glucose deprivation (909) 20

Sakaki, Y., see Nakagawa-Yagi, Y. (909) 8
Sakashita, Y., see Yamamoto, T. (909) 138
Salicio, V., see D'Orlando, C. (909) 145
Santacana, M., see Rodrigo, J. (909) 20
Schwaller, B., see D'Orlando, C. (909) 145
Serrano, J., see Rodrigo, J. (909) 20
Seya, M., see Nakagawa-Yagi, Y. (909) 8
Sharp, B., see Konu, Ö. (909) 194
Shimada, S.-i., see Nakagawa-Yagi, Y. (909) 8
Shoyama, Y., see Yamaguchi, T. (909) 121
Singh, A., see Jain, N.K. (909) 170
Sitges, M., see Trejo, F. (909) 59
Sugiura, T., see Yamaguchi, T. (909) 121

Tajti, J., see Hou, M. (909) 112
Takagi, K., see Kajihara, H. (909) 92
Takahashi, A., Ishimaru, H., Ikarashi, Y., Kishi, E. and Maruyama, Y.
Opposite regulation of body temperature by cholinergic input to the paraventricular nucleus and supraoptic nucleus in rats (909) 102
Takeo, S., see Kajihara, H. (909) 92
Tanaka, H., see Yamaguchi, T. (909) 121
Teichner, A., see Leker, R.R. (909) 1
Trejo, F., Nekrassov, V. and Sitges, M.
Characterization of vinpocetine effects on DA and DOPAC release in striatal isolated nerve endings (909) 59
Tsutsumi, E., see Kajihara, H. (909) 92
Turek, F.W., see Challet, E. (909) 81

Uddman, R., see Hou, M. (909) 112
Uttenthal, L.O., see Rodrigo, J. (909) 20

Van Reeth, O., see Challet, E. (909) 81
Vawter, M.P., see Konu, Ö. (909) 194
Viggiano, A., see Monda, M. (909) 68

Waku, K., see Yamaguchi, T. (909) 121
Watanabe, S., see Yamaguchi, T. (909) 121

Yamaguchi, T., Hagiwara, Y., Tanaka, H., Sugiura, T., Waku, K., Shoyama, Y., Watanabe, S. and Yamamoto, T.
Endogenous cannabinoid, 2-arachidonoylglycerol, attenuates naloxone-precipitated withdrawal signs in morphine-dependent mice (909) 121
Yamamoto, T., Nozaki-Taguchi, N. and Sakashita, Y.
Spinal *N*-acetyl-α-linked acidic dipeptidase (NAALADase) inhibition attenuates mechanical allodynia induced by paw carrageenan injection in the rat (909) 138
Yamamoto, T., see Yamaguchi, T. (909) 121

Zhang, G., see Liu, Y. (909) 51
Zhao, Z., Cheng, M., Maples, K.R., Ma, J.Y. and Buchan, A.M.
NXY-059, a novel free radical trapping compound, reduces cortical infarction after permanent focal cerebral ischemia in the rat (909) 46